

# ATTACHMATE. RALLY!

For AS/400®

Windows®, Windows 95, Windows NT®


version 6.4

The complete solution for robust, productive access.

For robust, richly featured access that streamlines workflow and lowers administrative overhead, the right choice is Attachmate's RALLY! for AS/400. It's designed to help organizations efficiently and cost-effectively migrate to and manage an environment that incorporates TCP/IP, and 16- and 32-bit platforms alike, at the desktop. Offering a comprehensive feature set, streamlined administration and an array of development options, RALLY! lifts enterprise-wide productivity while diminishing configuration, installation and support costs.

Complete SNA application functionality over TCP/IP.

Use RALLY! to reliably transport SNA data streams over TCP/IP with no degradation of SNA application functionality. There's full support for MPTN (Multi-Protocol Transport Networking), popular SNA gateways, and Cisco® NCI (Native Client Interface Architecture). With RALLY!, you gain peace of mind knowing that your existing APPC applications will run flawlessly with no modifications.



Navigate to host screens without the use of macros or custom development with RALLY!'s intelligent navigation. Bookmark important host pages for immediate access to information.

Information access – faster and easier than ever.

**Faster.** RALLY!'s industry-leading 32-bit APPC router delivers information to Windows 95 and Windows NT desktops with remarkable speed and reliability.

**Easier.** Enjoy unrivaled ease of use with RALLY!'s 32-bit Level 2 ODBC-enabled driver, 32-bit DBQuery tool, and OLE 2.0 support. While working in ODBC-enabled applications such as Microsoft® Excel and Visual Basic®, end users and developers alike can conveniently employ the ODBC driver for reliable access to DB2/400™ datasources over APPC. By setting up intuitive SQL-based queries with RALLY!'s DBQuery tool, importing data into an ASCII file or any ODBC-compliant application becomes a snap – no programming or macros required. And RALLY!'s full exploitation of OLE 2.0 makes it easy to establish transparent, dynamically updated links between Windows application files and data on the AS/400.

Seamless AS/400 integration into Windows with Shared Folders.

Thanks to RALLY!'s Shared Folders support, Windows 95 desktops can access AS/400-resident PC (stream) files via Windows Explorer or Network Neighborhood. Perform simple drag-and-drop actions to save files to the AS/400 and copy and move them among AS/400 and Windows directories as desired. Also, view other AS/400 objects – folders and documents, directories, libraries, database files, legacy shared folders and more.

 **Attachmate**™


# PRODUCT PROFILE

## New in this release

- Shared Folders (Integrated File System) support
- 32-bit ODBC driver
- 32-bit DBQuery tool
- Remote Command
- Editable display and printer code pages
- Nite Apps (Scheduler)
- New link types
  - Twinax for Windows NT
  - Hayes® AutoSync
  - NCIA

## Migrate at your own pace.

16- and 32-bit versions on one CD make for seamless migration as well as significant cost savings.



*To enhance end-user efficiency, RALLY! comes with pre-defined productivity schemes for popular AS/400 applications. Or, you can create custom ones.*

Watch productivity soar.

Adopting the Microsoft Office look and feel gives RALLY! optimal usability which encourages enhanced productivity. Further productivity gains can be made through the use of RALLY!'s wide-ranging user services: productivity schemes, intelligent navigation, multi-session support and more.

**Productivity schemes.** Customize the appearance and behavior of RALLY! with productivity schemes – collections of unique settings that define how you see, and interact with AS/400 applications. Pre-defined, editable productivity schemes for popular applications such as J.D. Edwards® and Lawson® ship with RALLY!, or, you can create your own. Either way, productivity schemes – comprising QuickPad, toolbar, HotSpot, color and font schemes – streamline tasks for users by eliminating redundant keystrokes and replacing hard-to-remember commands with point-and-click actions.

QuickPad™ schemes are handy, on-screen windows incorporating buttons, icons, bitmaps or other graphical elements that can be clicked to invoke actions such as sending keystrokes to the host, running a macro, launching an application or loading another productivity scheme. They can be configured to appear whenever their designated host session – or individual host screen – is accessed.

Make RALLY!'s interface even more intuitive by modifying toolbar schemes – complete with tooltips – to reflect activities specific to particular host screens, sessions or applications. Use HotSpot schemes, individually or grouped together, to associate functions with specific areas or words on host screens. Color and font schemes can also be defined on a per-session and per-screen basis.

**Intelligent navigation.** Simplify AS/400 interaction with RALLY!'s intelligent navigation technology. It enables you to record a series of host screens, designating frequently visited ones as bookmarks – no macro programming or custom development required. Bookmarks bring the ease of use of web browsers to host interaction. Once set in place, they empower users to efficiently navigate directly to the information they need, automatically skipping ahead to information pertinent to their jobs.

**Multi-session support.** Connect to multiple AS/400s, multiple applications on the same host or multiple applications across multiple AS/400s – all at the same time. From RALLY!'s convenient Session Wizard, each session can be configured differently with regard to connection type, session type (display or printer) and file transfer type. Also, easily launch new sessions with the New Session command under RALLY!'s File menu. Position multiple display sessions as desired on the desktop and save them as a layout which, in turn, can be associated with a shortcut on the desktop for one-click launching.

Deployable as a managed solution. Available as an add-on to RALLY!, Attachmate's NetWizard® desktop management software helps you manage RALLY! seats throughout your organization. NetWizard combines configuration, distribution, inventory, usage and license metering, remote control, policy management and more into one powerful, conveniently centralized solution.

Take advantage of these timesaving features.

- **Nite Apps.** Set up and launch recurring tasks such as file transfer and Remote Command with this intuitive scheduler program.
- **Remote Command and Distributed Program Call.** Send non-interactive commands to the AS/400 system using the included Windows application or the Remote Command API.
- **Editable printer and display code pages.** Create and edit printer and display code pages for each RALLY! session.
- **Data Queue support.** RALLY! provides DLLs which allow one or more programs to send or retrieve data to or from a data queue stored on the AS/400.
- **PC organizer.** Launch PC executables such as MS® Word from within an AS/400 session.
- **Auto sign-on support.** Go directly to the front screen of the host application with a single logon and bypass multiple logons to the session and router.

The world relies on Attachmate for host access management. Eighty percent of the Fortune 500 and Global 2000 companies trust Attachmate products to manage access to their mission-critical host applications and databases. Our award-winning desktop-to-host, web-to-host, management software, authoring tools and hardware adapters offer a broad spectrum of options for secure access and management of business information residing on enterprise host systems.

A tradition of world-class service. Attachmate established the industry standard for technical support more than a decade ago. Today we expand on that tradition with complete solutions consulting to help you forge a competitive advantage in today's global marketplace. Attachmate consulting services range from custom software development and technical implementation to customer education.

In addition, our Upgrade Maintenance program assures that you automatically receive the latest upgrades of Attachmate software you have purchased.


For details regarding consulting, SUPPORTWARE® technical assistance or other services call your Attachmate representative or visit our dedicated support web site at <http://supportweb.attachmate.com> where free self-help options are also available.

Call today for more information. For more information about RALLY!, contact your local Attachmate sales office or call us toll-free in the United States or Canada at **1-800-426-6283**. For international sales information, call USA **425-644-4010**.

Enhance productivity.

RALLY!'s built-in productivity tools include application-specific productivity schemes, intelligent navigation and macro development utilities.

*Select AS/400-resident data and integrate it into ODBC-enabled Windows applications with RALLY!'s intuitive DBQuery tool.*



**U.S. and Canadian Sales:**  
**(800) 426-6283**  
**(425) 644-4010**  
**Fax: (425) 747-9924**  
**www.attachmate.com**

**Customer Support:**  
**(425) 957-4607**

**FaxBack:**  
**(425) 649-6595**

**Australia**  
**(61) 2 9249 7200**

**Austria**  
**(43) 1 5999 9111**

**Belgium**  
**(32) 2 481 07 50**

**Brazil**  
**(55) 11 866 3766**

**Colombia**  
**(57) 1 296 0144**

**Denmark**  
**(45) 47 17 10 00**

**Finland**  
**(358) 9 437 5236**

**France**  
**(33) 1 4604 1010**

**Germany**  
**(49) 89 99 351 0**

**Hong Kong**  
**(852) 2 572 8988**

**Italy**  
**(39) 2 6713101**

**Japan**  
**(81) 3 5560 8970**

**Latin America**  
**(52) 5 208 0360**

**Malaysia**  
**(603) 469 1119**

**Mexico**  
**(52) 5 208 0360**

**Netherlands**  
**(31) 20 696 6031**

**Norway**  
**(47) 22 91 06 43**

**Portugal**  
**(351) 1 7928750**

**Singapore**  
**(65) 223 0233**

**South Africa**  
**(27) 11 784 0414**

**Spain**  
**(34) 9 1 300 86 00**

**Sweden**  
**(46) 8 6307530**

**Switzerland (Zurich)**  
**(41) 1 289 90 11**

**United Kingdom**  
**(44) 1189 890 390**

## Features at a Glance

### RALLY! for AS/400 Release 6.4

#### Installation and configuration

- Windows 95 Setup Wizard
- Network install
- Typical and custom install options
- Silent install with script support

#### Supported protocols and gateways

- NetSoft® NS/Router®
- Client Access Router (16-bit)
- PCS/400 Router (16-bit)
- Microsoft SNA Server
- Novell® NetWare® for SAA® (v1.3B or later)
  - Support for multiple SAA router connections
- TCP/IP (TN5250)
- 802.2LLC (Token-ring or Ethernet)
- SDLC
- Twinax
- SNA/APPC over TCP/IP
  - MPTN (AnyNet®)
  - Cisco NCI/A (32-bit)
- Hayes AutoSync

#### Year 2000-compliant

- 16-bit RALLY!
- 32-bit RALLY!

#### Information access

- Attachmate's 32-bit APPC router
  - 32-bit DRDA ODBC driver
- DBQuery tool
- Shared Folders (Windows 95 only)
- OLE 2.0 linking (32-bit)
- DDE (16-bit)

#### File transfer

- Command line batch file transfer utility
- GUI send and receive file transfer function
- Customizable transfer sessions

#### Printer emulation

- 3812 page printer
- 5224 line printer

#### Display emulation

- Supports 3179, 3197 and 3477 display terminals
- 80 x 132 column display capability
- Multiple display attributes

#### Supported keyboards

- Standard 101-key or Microsoft Natural Keyboard
- Standard 102-key keyboard
- PC/AT® keyboard (84-key)
- IBM®, Key Tronic®, or IRMAKey (122-key) keyboard

#### Session support

- Multi-session support
- Session Wizard
- Customizable sessions
  - Screen size
  - Cursor size and type
  - Keyboard remapping
  - Show Display Attributes
  - Host code page
  - Font size
- Multi-session layouts can be saved and launched from a desktop icon

#### Productivity features

- Intelligent navigation
- Productivity schemes
  - QuickPad
  - HotSpots
  - Toolbars
- Macro development
  - Recorder
  - Macro Dialog Editor (32-bit)
  - EXTRA!® Basic programming language (32-bit)
- Customizable menus
- Dynamic color editor
- PC Organizer
- Remote Command and Distributed Program Call (32-bit)
- Nite Apps (scheduler) (32-bit)
- Editable printer and display code pages (32-bit)
- Auto sign-on feature

#### APIs

- Data Queues (32-bit)
- Remote Command (32-bit)
- ODBC Driver
- EXTRA! Basic (32-bit)
- HLLAPI (16-bit)
- WinHLLAPI (16-bit)
- EHLLAPI
- Attachmate HLLAPI
- WOSA HLLAPI
- ATMAPI (Enterprise Access Library™)
- APPC (32-bit)

#### Additional tools and utilities

- The Status Application
- APPN Node Manager
- APPN Node Configurator
- Start and Stop APPN Node

#### Recommended system specifications

##### Windows 3.x

- 486/SX PC
- 8MB RAM or greater
- Windows 3.1 or later running in standard or enhanced mode (real mode is not supported)


##### Windows 95 and Windows NT 3.51 or later

- 486/DX PC 33 MHz or faster
- 12MB RAM or greater for Windows 95
- 16MB RAM or greater for Windows NT

#### Companion products from Attachmate

- QuickApp®
- NetWizard

Robust, full-featured,  
productive AS/400 access



**Attachmate**  
 Attachmate Corporation  
 3617 131st Ave SE  
 Bellevue, WA 98006 USA

© 1998 Attachmate Corporation. All Rights Reserved. Printed in the USA. Attachmate, EXTRA!, NetWizard, QuickApp, RALLY! and SUPPORTWARE! are registered trademarks and Enterprise Access Library, QuickPad and SupportWeb! are trademarks of Attachmate Corporation. Cisco is a registered trademark of Cisco Systems, Inc. in the U.S. and certain other countries. Hayes is a registered trademark of Hayes Microcomputer Products, Inc. AnyNet, AS/400, AT, IBM and SAA are registered trademarks and DB2/400 is a trademark of International Business Machines Corporation. J.D. Edwards is a registered trademark of J.D. Edwards & Company. Key Tronic is a registered trademark of Key Tronic Corporation. Lawson is a registered trademark of Lawson Software. Microsoft, MS Visual Basic, Windows and Windows NT are registered trademarks of Microsoft Corporation. NetSoft and NS/Router are registered trademarks of NetSoft. Novell and NetWare are registered trademarks of Novell, Inc. All other trademarks or registered trademarks are the property of their respective owners.

RECYCLABLE

8-0095.0598